ELITE

- SWIFT POLE CAMERA #
- SWIFT UNDER DOOR CAMERA .
 - SWIFT FLEX CAMERA #
 - SWIFT VIDEO SCOPE
- SYNC UNDER DOOR CAMERA #
- THE RANCH TRAINING COMPLEX #



TACTICAL ELECTRONICS

has been a reliable resource in providing law enforcement agencies and trend-setting military groups with the technology and training needed to excel in real-world challenges.

We possess the unique ability to concept, design, prototype, manufacture, and produce our products on site. Our extensive line of wireless camera systems and EOD tools provide law enforcement agencies and military groups the technology they need to accomplish their mission.



TACTICAL ELECTRONICS.COM







SWIFT POLE CAMERA

ELITE CAMERA SYSTEMS BY TACTICAL ELECTRONICS

7

WIDELESS

REAL-TIME







ENCRYPTED VIDEO



DUAL VIDEO



SWIFT DEPLOYMENT

Power ON & deploy in under 15 seconds

SWIFT POLE CAMERA

The SWIFT Pole Camera is a compact, quick to deploy pole camera that provides both low-light color and thermal video at an extended reach. The SWIFT Pole Camera is available in two length options: 1.0 meter extended and 1.75 meter extended.

Two separate image sensors are contained within the camera head: a visible CMOS sensor with excellent low-light sensitivity and a FLIR Long-Wave Infrared sensor. Real-time video from both sensors is displayed in dual view on the 4.0 inch LCD Monitor. Combining low-light color video alongside white-hot thermal video provides operators with two distinct views of every environment.

▼ 1.0 METER OPTION:

▼ COLLAPSED

▼ EXTENDED

1.01b 5.0oz / 0.6kg

13.0in / 33.0cm

40.0in / 101.6cm

▼ 1.75 METER OPTION:

▼ COLLAPSED

▼ EXTENDED

1.01b 9.0oz/0.7kg

18.0in / 45.7cm

69.0in / 175.3cm



TACTICAL ELECTRONICS

WEB: TACTICAL ELECTRONICS.COM

EMAIL: GOVSALES@TACTICALELECTRONICS.COM

PHONE: 833.483.1441 | 918.249.8326



HEMLOCK FACILITY:

2200 NORTH HEMLOCK AVE. BROKEN ARROW, OK 74012



CRUSADER FACILITY:





SWIFT UNDER DOOR CAMERA

ELITE CAMERA SYSTEMS BY TACTICAL ELECTRONICS







WIRELESS VIDEO

5GHz real-time Wi-Fi



ATAK I MANET

Connect real-time video via USB & Ethernet



AFS encrypted Wi-Fi



ADJUSTABLE LEDS

Toggle LEDs illuminatio



CAMERA TOGGLE

gle between four

TACTICAL ELECTRONICS

SWIFT UNDER DOOR CAMERA

The SWIFT Under Door Camera is a size, weight, and power optimized Under Door Camera that is compact enough to fit within a Double M4 Mag Pouch. Featuring up-to four individual cameras located within a 0.26in thick insertion panel, the SWIFT Under Door Camera provides viewing in four directions: forward, upward/backward, left, and right. Each viewing direction is supplemented with covert 950nm Infrared LED illumination for both low-light & no-light environments.

The SWIFT Under Door Camera is equipped with a Tactical Accessory Port (TAP) which provides USB and Ethernet connectivity as well as an auxiliary 12VDC power input.

▼ LENGTH

PANEL HEIGHT

▼ LOW-LIGHT

8.75in / 22.2cm

0.26in / 6.6mm

16V/lux-sec

▼ LED ILLUMINATION

▼ HARDWIRE

4 x 950nm IR LEDs: 1 per camera view

Ethernet & USB











TACTICAL ELECTRONICS

WEB: TACTICAL ELECTRONICS.COM

EMAIL: GOVSALES@TACTICALELECTRONICS.COM

PHONE: 833.483.1441 | 918.249.8326



HEMLOCK FACILITY:

2200 NORTH HEMLOCK AVE. BROKEN ARROW, OK 74012



CRUSADER FACILITY:





SWIFT FLEX CAMERA

ELITE CAMERA SYSTEMS BY TACTICAL ELECTRONICS



WIRELESS

REAL-TIME





WIRELESS VIDEO

5GHz real-time Wi-Fi



ATAK I MANET

Connect real-time video via USB & Ethernet



ENCRYPTED VIDEO



SD RECORDING

Automatic recording to a 32GB MicroSD card



SWIFT VIDEO

Stand-by mode provides

TACTICAL ELECTRONICS

SWIFT FLEX CAMERA

The SWIFT Flex Camera is a handheld inspection tool that features a flex-and-stay neck. Choose from three different camera head options to best suit your mission. The Visible SWIFT Flex Camera features a color CMOS sensor, excellent low-light sensitivity and integrated LED illumination. The Thermal SWIFT Flex Camera features a Long Wave Infrared (LWIR) FLIR thermal imager. The Dual SWIFT Flex Camera features both a color CMOS sensor and a FLIR thermal imager.

The SWIFT Flex Camera features a locking Tactical Accessory Port that provides USB 2.0, 100Mbps Ethernet, and 12VDC power in.

▼ VISIBLE

▼ THERMAL

▼ DUAL

12.0mm diameter

17.0mm diameter

25.0mm diameter

▼ LED ILLUMINATION

▼ EYEPIECE

400nm UV or white 0-100% adjustable

1.0in AMOLED



TACTICAL ELECTRONICS

WEB: TACTICAL ELECTRONICS.COM

EMAIL: GOVSALES@TACTICALELECTRONICS.COM

PHONE: 833.483.1441 | 918.249.8326



HEMLOCK FACILITY:

2200 NORTH HEMLOCK AVE. BROKEN ARROW, OK 74012




CRUSADER FACILITY:





SWIFT VIDEO SCOPE

ELITE CAMERA SYSTEMS BY TACTICAL ELECTRONICS







WIRELESS VIDEO

5GHz real-time Wi-Fi video transmission



ATAK I MANET

Connect real-time video via USB & Ethernet

6

AES encrypted Wi-Fi



SD RECORDING

Automatic recording to a 32GB MicroSD card



SWIFT VIDEO

Stand By mode provides TACTICAL ELE

SWIFT VIDEO SCOPE

The SWIFT Video Scope features an 8mm distal tip and 4-way articulation. Video is viewable through the built-in eyepiece, on any Tactical Electronics monitor, or an Android device with the TE View mobile app.

The camera head moves in four directions (160° up, 130° down, 100° left/right) and is controlled via fine-touch paddles. The SWIFT Video Scope is available with a 12in or 24in long probe.

The system features a locking Tactical Accessory Port that provides USB 2.0, 100Mbps Ethernet, and 12VDC power in.

▼ WORKING OD

▼ HARDWIRE

▼ LOW-LIGHT

0.32in / 8.1mm

ethernet & USB


0.005 lux sensor

▼ LED ILLUMINATION

▼ EYEPIECE

internal 400nm UV 0-100% adjustable

1.0in AMOLED



TACTICAL ELECTRONICS

WEB: TACTICAL ELECTRONICS.COM

EMAIL: GOVSALES@TACTICALELECTRONICS.COM

PHONE: 833.483.1441 | 918.249.8326



HEMLOCK FACILITY:

2200 NORTH HEMLOCK AVE. BROKEN ARROW, OK 74012



CRUSADER FACILITY:



SYNC UNDER DOOR CAMERA

ELITE CAMERA SYSTEMS BY TACTICAL ELECTRONICS









ADJUSTABLE LEDS



COMPACT DESIGN

SYNC UNDER DOOR CAMERA

The SYNC Under Door Camera gives you rapid visual access into rooms or around corners. Featuring two individual cameras located within a 0.26in/6.6mm thick insertion panel, the SYNC UDC provides both forward and upward camera views.

Each camera view is supplemented with covert 950nm Infrared LED illumination for low-light and no-light applications. Simply plug the SYNC Under Door Camera into any Android tablet or mobile device to view video on the TE View mobile app. Measuring less than 2in wide and 7in long the SYNC Under Door Camera can be easily stowed in a cargo pocket for quick deployment.

▼ WEIGHT

▼ LENGTH

▼ WIDTH

14oz / 0.4kg

7.0in / 178mm

1.8in / 46mm

▼ LED ILLUMINATION

▼ PANEL HEIGHT

4 x 950nm IR LEDs: 2 per camera view

0.26in / 6.6mm



TACTICAL ELECTRONICS

WEB: TACTICAL ELECTRONICS.COM

EMAIL: GOVSALES@TACTICALELECTRONICS.COM

PHONE: 833.483.1441 | 918.249.8326



HEMLOCK FACILITY:

2200 NORTH HEMLOCK AVE BROKEN ARROW, OK 74012



CRUSADER FACILITY:

















HEMLOCK FACILITY

2200 NORTH HEMLOCK AVE BROKEN ARROW, OK / 74012

V: (+1) 833 / 483 / 1441 V: (+1) 918 / 249 / 8326



CRUSADER FACILITY

2844 CRUSADER CIRCLE / #100 VIRGINIA BEACH, VA / 23453

V: (+1) 833 / 483 / 1441 V: (+1) 757 / 689 / 0476



RANCH COMPLEX

30 MINUTES OUTSIDE OF ARDMORE OKLAHOMA / 73456

V: (+1) 833 / 483 / 1441 V: (+1) 918 / 249 / 8326

CONTACT US

TACTICAL ELECTRONICS

TOLL FREE

(+1) 833 / 483 / 1441

OFFICE

- (+1) 918 / 249 / 8326
- (+1) 757 / 689 / 0476

EMAH

GOVSALES@TACTICALELECTRONICS.COM

WER

TACTICALELECTRONICS.COM







in

